	OIPE			A = = = 0 4 4	0411 400
Form PTO-14 (REV. 8-83)	₩ \	epartment of Commerce and Trademark Office	Attorney Docket 2004117-0024	10/577,	opli GaAUA: N b634 341
INFORGATION D'SCLOSURE STATEMENT (Use several sheets if necessary)		Applicant: Bianchi, et al.			
		Filing Date: Group: April 28, 2006 TBA			
U.S. PATENT	DOCUMENTS			10.1	
Examiner's	U.S. Patent No.	Applicant	Issue Date	Class	Subclass
Initials			35500 2 000		·
	* 4,355,153	Radici et al.	October 19, 1982	528	191
	* 4,458,066	Caruthers et al.	July 3, 1984	536	25.34
	* 4,652,613	Collins et al.	March 24, 1987	525	69
	* 4,683,195	Mullis et al	July 28, 1987	435	6
	* 4,683,202	Mullis	July 28, 1987	435	91.2
	* 4,774,339	Haugland et al.	September 27, 1988	548	405
	* 4,800,159	Mullis et al.	January 24, 1989	435	91.2
	* 5,047,519	Hobbs et al.	September 10, 1991	536	27.14
	* 5,068,269	Diamantoglou	November 26, 1991	524	35
	* 5,143,854	Pirrung et al.	September 1, 1992	436	518
	* 5,151,507	Hobbs et al	September 29, 1992	536	26.7
	* 5,187,288	Kang et al.	February 16, 1993	548	110
	* 5,227,487	Haugland et al.	July 13, 1993	546	15
	* 5,248,782	Haugland et al.	September 28, 1993	548	110
	* 5,266,489	Rey-Senelonge et al.	November 30, 1993	435	320.1
	* 5,286,486	Payne et al.	February 15, 1994	424	93.2
	* 5,288,625	Hadlaczky	February 22, 1994	435	449
	* 5,288,641	Roizman	February 22, 1994	435	320.1
	* 5,434,049	Okano et al.	July 18, 1995	435	. 6
	* 5,501,979	Geller et al.	March 26, 1996	435	320.1
	* 5,539,517	Cabib et al.	July 23, 1996	356	456
	* 5,556,752	Lockhart et al.	September 17, 1996	435	6
	* 5,614,386	Metzker et al.	March 25, 1997	435	91.1
	* 5,632,957	Heller et al.	May 27, 1997	422	68.1
	* 5,635,351	Feuerstein et al.	June 3, 1997	435	6
	* 5,665,549	Pinkel et al.	September 9, 1997	435	6
	* 5,700,637	Southern et al.	December 23, 1997	435	6
	* 5,714,386	Roederer	February 3, 1998	436	546
	* 5,721,098	Pinkel et al.	February 24, 1998	435	6

Form PTO-1449 (REV. 8-83)		artment of Commerce d Trademark Office	Attorney Docket 2004117-0024	0516/73/41 _{p1} 10/577,3	oliGANA:NGG3 41
INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		Applicant: Bianchi, et al. Filing Date: Group: TBA			
* 5	5,721,118	Scheffler	February 24, 1998	435	69.1
* 5	5,744,305	Fodor et al.	April 28, 1998	435	6
* 5	5,770,456	Holmes	June 23, 1998	436	518
* 5	5,776,745	Ketner et al.	July 7, 1998	435	477
* 5	5,790,727	Dhadwal et al.	August 4, 1998	385	38
* 5	5,795,557	Pajonk et al.	August 18, 1995	790	727,
* 5	,800,992	Fodor et al.	September 1, 1998	435	6
* 5	5,807,522	Brown et al.	September 15, 1998	422	50
* 5	5,830,645	Pinkel et al.	November 3, 1998	435	6
* 5	,843,767	Beattie	December 1, 1998	435	287.1
* 5	5,846,708	Hollis et al.	December 8, 1998	435	6
* 5	5,856,097	Pinkel et al.	January 5, 1999	435	6
* 5	5,856,174	Lipshutz et al.	January 5, 1999	435	286.5
* 5	5,874,259	Szybalski	February 23, 1999	435	91.1
* 5	5,880,473	Ginestet	March 9, 1999	250	458.1
* 5	5,922,617	Wang et al.	July 13, 1999	436	518
* 5	5,939,261	Loewy et al.	August 17, 1999	435	6
* 5	5,943,129	Hoyt et al.	August 24, 1999	356	318
* 5	,959,098	Goldberg et al.	September 28, 1999	536	25.3
* 5	5,965,362	Pinkel et al.	October 12, 1999	435	6
* 5	5,965,452	Kovacs	October 12, 1999	436	149
* 5	5,976,790	Pinkel et al.	November 2, 1999	435	6
* 5	5,981,175	Loring et al.	November 9, 1999	435	6
* 5	5,994,063	Metzker et al.	November 30, 1999	435	6
* 6	5,013,440	Lipshutz et al.	January 11, 2000	435	6
v6.	,022,963	McGall et al.	February 8, 2000	536	25.3
* 6	5,024,872	Mahendran et al.	February 15, 2000	210	500.25
* 6	5,025,155	Hadlaczky et al.	February 15, 2000	435	69.1
* 6	5,027,709	Little et al.	February 22, 2000	424	1.65
* 6	5,045,996	Cronin et al.	April 4, 2000	435	6
* 6	5,048,457	Kopaciewicz et al.	April 11, 2000	210	321.6
* 6	5,048,695	Bradley et al.	April 11, 2000	435	6

Form PTO-1449 (REV. 8-83)	•	artment of Commerce d Trademark Office	Attorney Docket 2004117-0024	05/n/r34h 10/577,3	plication No. 3 341
INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		Applicant: Bianchi, et al. Filing Date: April 28, 2006 TBA			
* 6	5,049,380	Goodwin et al.	April 11, 2000	356	317
* 6	5,054,270	Southern	April 25, 2000	435	6
* 6	5,054,279	Nadeau et al.	April 25, 2000	435	6
* 6	5,055,325	Garini et al.	April 25, 2000	382	129
* 6	5,060,324	Naguib	May 9, 2000	436	7
* 6	5,063,338	Pham et al.	May 16, 2000	422	61
* 6	5,066,459	Garini et al.	May 23, 2000	435	6
* 6	5,077,697	Hadlaczky et al.,	June 20, 2000	435	6
* 6	5,096,817	Mc Namara	August 1, 2000	524	406
* 6	5,140,044	Besemer et al.	October 31, 2000	435	6
* 6	5,143,495	Lizardi et al.	November 7, 2000	435	6
* 6	,159,685	Pinkel et al.	December 12, 2000	435	6
* 6	5,183,957	Cole et al.	February 6, 2001	435	6
* 6	5,191,425	Imai	February 20, 2001	250	458.1
* 6	5,197,501	Cremer et al.	March 6, 2001	435	6
* 6	5,235,504	Zhang et al.	May 22, 2001	435	91.2
* 6	5,252,664	Barbera-Guillem	June 26, 2001	356	417
* 6	5,258,606	Kovacs	July 10, 2001	436	149
* 6	5,261,776	Pirrung et al.	July 17, 2001	435	6
* 6	5,277,489	Abbott et al.	August 21, 2001	428	403
	5,277,581	O'Brien; et al.	August 21, 2001	435	6
* 6	5,277,621	Horsburgh et al.	August 21, 2001	435	235.1
* 6	5,277,628	Johann et al.	August 21, 2001	435	287.2
* 6	5,294,338	Nunomura	September 25, 2001	435	
* 6	5,294,331	Ried et al.	September 25, 2001	435	6
	5,335,167	Pinkel et al.	January 1, 2002	435	6
·····	5,365,349	Moynihan et al.	April 2, 2002	435	6
	5,387,626	Shi et al.	May 14, 2002	435	6
	5,458,584	Mirzabekov et al.	October 1, 2002	435	287.2
* 6	5,503,711	Krull et al.	January 7, 2003	435	6
* 6	5,516,276	Ghandour et al.	February 4, 2003	702	27
* 6	5,521,465	Stimpson	February 18, 2003	436	518

Form PTO-14		epartment of Commerce	· 1		oligany NP63	
(REV. 8-83) Patent and Trademark Office		2004117-0024 10/577,341				
INEOD	MATION DISCLOSU	IDE CTATEMENT	Applicant: Bianchi, et al.			
INFUR	Use several sheets if					
` ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		Filing Date: Group: April 28, 2006 TBA				
			April 28, 2006			
	* 6,558,907	Koroulis et al	May 6, 2003	435	6	
	* 6,562,565	Pinkel et al.	May 13, 2003	435	6	
	* 6,576,424	Fodor et al.	June 10, 2003	435	6	
	* 6,587,579	Bass	July 1, 2003	382	141	
	* 6,589,726	Butler et al.	July 8, 2003	435	4	
	* 6,594,432	Chen et al	July 15, 2003	385	133	
	* 6,599,693	Webb	July 29, 2003	435	4	
	* 6,600,031	Fodor et al.	July 29, 2003	536	24.3	
	* 6,613,893	Webb	September 2, 2003	536	25.3	
U.S. PATENT	Γ APPLICATIONS					
Examiner's Initials:	Serial Number:	Applicant:	Filing Date:	Group:	Art Unit:	
FOREIGN P.	ATENT DOCUMENT	S				
Examiner's	Document No. Country	International	Translation			
Initials			Publication Date			
				Yes	No	
	EP 1 026 260	Europe	August 9, 2000		X	
	EP 1 134 293	Europe	September 19, 2001		X	
OTHER DO	CUMENTS					
Examiner's Initials	Citation (Including	Author, Title, Date, Pertine	ent Pages, Etc.)			
	Aljanabi and Martinez, "Universal and rapid salt-extraction of high quality genomic DNA for PCR-based techniques", <i>Nucl. Acids Res.</i> , 1997, 25 : 4692-4693.					
	Amicucci et al., "Prenatal diagnosis of myotonic dystrophy using fetal DNA obtained from maternal plasma", Clin. Chem., 2000, 46: 301-302. Belousov et al., "Sequence-specific targeting and covalent modification of human genomic DNA", Nucleic Acids Res., 1997, 25: 3440-3444.					
	Bianchi et al., "Detection of fetal cells with 47,XY,+21 karyotype in maternal peripheral blood", Hum. Genet., 192, 90: 368-370.					
	1	Bianchi et al., "Erythroid-specific antibodies enhance detection of fetal nucleated erythrocytes in maternal blood", <i>Prenatal. Diagn.</i> , 1993, 13 : 293-300.				
	Bianchi et al. "PCF	R quantitation of fetal cells	in maternal blood in norm	al and aneur	oloid	

Form PTO-1449	U.S. Department of Commerce	Attorney Docket	In re Application No.			
(REV. 8-83)	Patent and Trademark Office	2004117-0024	10/577,341			
INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		Applicant: Bianchi, et al.				
		Filing Date:	Group:			
		April 28, 2006	TBA			
	pregnancies", Am. J. Hum. Genet., 1997, 61: 822					
	Bianchi, "Fetal DNA in maternal plasma: the plot thickens and the placental barrier thins", Am. J. Hum. Genet., 1998, 62: 763-764.					
	Bianchi et al., "Large amounts of cell-free fetal DNA are present in amniotic fluid", Clin. Chem., 2001, 47: 1867-1869.					
	Bianchi et al., "Fetal gender and aneuploidy detection using fetal cells in maternal blood: analysis of NIFTY I data. National Institute of Child Health and Development Fetal Cell Isolation Study", <i>Prenat. Diagn.</i> , 2002, 22 : 609-615.					
	Bohmer et al., "Differential development of fetal and adult haemoglobin profiles in colony culture: isolation of fetal nucleated red cells by two-colour fluorescence labelling", Br. J. Haematol., 1998, 103: 351-360.					
	Bowtell, "Options availablefrom start to finishfor obtaining expression data by microarray", <i>Nature Gen.</i> , 1999, Supp. 21 :25-32.					
	Brazma and Vilo, "Gene expression data analysi	s", FEBS Lett., 2000, 480	17-24.			
	Brison et al., "General method for cloning amplified DNA by differential screening with genomic probes", Mol. Cell. Biol., 1982, 2: 578-587.					
	Bryndorf et al., "Rapid prenatal diagnosis of chromosome aneuploidies by interphase fluorescence in situ hybridization: a one-year clinical experience with high-risk and urgent fetal and postnatal samples", Acta Obstet. Gynecol. Scand., 2000, 79: 8-14.					
	Chan et al., "Size distributions of maternal and f 50: 88-92.	etal DNA in maternal plas	ma", Clin. Chem., 2004,			
	Chen et al., "Fetal DNA in maternal plasma: the aneuploidy", Prenat. Diag., 2000, 20: 355-357	prenatal detection of a pa	ternally inherited fetal			
	Chen et al., "Fetal DNA analyzed in plasma from detect paternally inherited aneuploidy", Clin. Ch		tive pregnancies to			
	Cheung et al., "Prenatal diagnosis of sickle cell a in maternal blood", Nature Genet., 1996, 14: 264		by analysis of fetal cells			
	Cheung et al., "Making and reading microarrays	", Nature Genet., 1999, 2 1	l: 15 - 19.			
	Daniely et al., "Detection of chromosomal aberrabortion by comparative genomic hybridization"	•	- "			
	De la Cruz et al., "Low-false positive rate of ane maternal blood", Fetal Diagn. Ther., 1998, 13: 3		tal cells isolated from			
	DeRisi et al., "Use of a cDNA microarray to ana Nature Genet., 1996, 14: 457-460.	lyse gene expression patte	erns in human cancer",			
	Di Naro et al., "Prenatal diagnosis of beta-thalas maternal blood by a novel gradient", Mol. Hum.					

Form PTO-1449	U.S. Department of Commerce	Attorney Docket 10	576784AppliGaAdd:N6634		
(REV. 8-83)	Patent and Trademark Office	2004117-0024	10/577,341		
INFORMATION DISCLOSURE STATEMENT		Applicant: Bianchi, et al.			
(Use several sheets if necessary)		Filing Date:	Group:		
		April 28, 2006	TBA		
	Divane et al., "Rapid prenatal diagnosis of aneuploidy from uncultured amniotic fluid cells using five-colour fluorescence in situ hybridization", Prenat. Diagn., 1994, 14: 1061-1069.				
***	du Manoir et al., "Detection of complete and partial chromosome gains and losses by comparative genomic in situ hybridization", Hum. Genetics, 1993, 90: 590-610				
	Eisen et al., "Cluster analysis and display of genome-wide expression patterns", Proc. Natl. Acad. Sci. USA, 1998, 95: 14863-14868.				
	Elias et al., "First trimester prenatal diagnosis of trisomy 21 in fetal cells from maternal blood", Lancet, 1992, 340: 1033.				
	Faas et al., "Prenatal diagnosis of fetal RhD state Lancet, 1998, 352: 1196.	us by molecular analysis o	f maternal plasma",		
	Findlay et al., "Rapid trisomy diagnosis (21, 18, repeats: applications for prenatal diagnosis and pereprod. Genet., 1998, 15: 266-275.	· •	ll l		
	Flint et al., "The detection of subtelomeric chromosomal rearrangements in idiopathic mental retardation", <i>Nature Genet.</i> , 1995, 9: 132-140.				
	Freeman et al., "Fundamentals of DNA hybridization arrays for gene expression analysis", Biotechniques, 2000, 29: 1042-1046				
	Gänshirt-Ahlert et al., "Detection of fetal trisom gradient and magnetic cell sorting", Am. J. Representation of the sorting o		<u> </u>		
	Gonzalez-Gonzalez et al., "Prenatal detection of maternal plasma", Prenatal Diagn., 2002, 22: 94	· · · · · ·	in fetal DNA from		
	Guatelli et al., "Isothermal, in vitro amplification modeled after retroviral replication", Proc. Natl.				
	Gustincich et al., "A fast method for high-quality blood", BioTechniques, 1991, 11: 298-302	y genomic DNA extraction	n from whole human		
	Haddad <i>et al.</i> , "Identification of de novo chromosomal markers and derivatives by spectral karyotyping", <i>Hum. Genet.</i> , 1998, 103 : 619-625.				
	Hahn <i>et al.</i> , "Multiplex and real-time quantitativ comparison with fetal cells isolated from matern 152.		*		
	Holmes, "Genetic counseling for the older pregn Med., 1978, 298: 1419-1421.	ant woman: new data and	questions", New Eng. J.		
	Honda et al., "Fetal gender determination in earl analysis of fetal DNA in maternal serum", Hum.		- II		
	Jalal et al., "Prenatal detection of aneuploidy by interphase fluorescence in situ hybridization", M				
	Johnson et al., "Interlaboratory comparison of fe	etal male DNA detection fr	om common maternal		

Form PTO-1449		•	Pin had Application No. 34			
(REV. 8-83)	Patent and Trademark Office	2004117-0024	10/577,341			
v.v.on.	A MYON DAGGE O GANDO GOL TODA CONT	Applicant:				
_	ATION DISCLOSURE STATEMENT	Bianchi, et al.				
(Use several sheets if necessary)		Filing Date:	Group:			
		April 28, 2006	TBA			
	plasma samples by real-time PCR", Clin. Chem., 2004, 50: 516-521.					
	Joos et al., "Mapping and chromosome analysis: the potential of fluorescence in situ hybridization", J. Biotechnol., 1994, 35: 135-153.					
	Kallioniemi et al., "Comparative genomic hybridization for molecular cytogenetic analysis of solid tumors", Science, 1992, 258: 818-821.					
	Kallioniemi et al., "Comparative genomic hybridization: a rapid new method for detecting and mapping DNA amplification in tumors", Semin. Cancer Biol., 1993, 4: 41-46.					
	Kerr et al., "Analysis of variance for gene expression microarray data", J. Comput. Biol., 2000, 819-837.					
	Knight et al., "Subtle chromosomal rearrangeme retardation", <i>Lancet</i> , 1999, 354 : 1676-1681.	nts in children with unexp	lained mental			
Lapaire et al., "Larger columns and change of lysis buffer increase the yield of cell-free DNA extracted from amniotic fluid", Clin. Chem., 2006, 52: 156-157.			ld of cell-free DNA			
	Larrabee et al., "Microarray analysis of cell-free fetal DNA in amniotic fluid: a prenatal molecularyotype", Am. J. Hum. Genet., 2004, 75: 485-491.					
	Larrabee et al., "Presence of filterable and nonfi Chem., 2005, 51: 1024-1026.	lterable cell-free mRNA in	n amniotic fluid", Clin.			
	Lee et al., "Down syndrome and cell-free fetal D Gynecol., 2002, 187 : 1217-1221.	NA in archived maternal	serum", Am. J. Obstet.			
	Leung et al., "Maternal plasma fetal DNA as a n 1904-1905.	narker for preterm labour"	, Lancet, 1998, 352 :			
	Lo et al., "Presence of fetal DNA in maternal pla	asma and serum", Lancet,	1997, 350 : 485-487.			
	Lo et al., "Quantitative analysis of fetal DNA in noninvasive prenatal diagnosis", Am. J. Hum. Go	-	m: implications for			
	Lo et al., "Prenatal diagnosis of fetal RhD status Engl. J. Med., 1998, 339: 1734-1738.	by molecular analysis of	maternal plasma", New			
	Lo et al., "Rapid clearance of fetal DNA from m 218-224.	aternal plasma", Am. J. H	um. Genet., 1999, 64 :			
	Lo et al., "Increased fetal DNA concentrations in with trisomy 21", Clin. Chem., 1999, 45: 1747-1		omen carrying fetuses			
	Lo et al., "Quantitative abnormalities of fetal DN Med., 1999, 45: 184-188.	NA in maternal serum in p	reeclampsia", Clin.			
	Lo et al., "Increased fetal DNA concentrations in with trisomy 21", Clin. Med., 1999, 45: 1747-17		vomen carrying fetuses			
	Lucotte et al., "Nucleotide sequence of p49a, a g in sex determination.", Mol. Cell. Probes, 1991,		with potential utilization			

Form PTO-1449	U.S. Department of Commerce	Attorney Docket	U5In re Application No.	
(REV. 8-83)	Patent and Trademark Office	2004117-0024	10/577,341	
INFORMA	ATION DISCLOSURE STATEMENT	Applicant: Bianchi, et al.		
(Use several sheets if necessary)		Filing Date: April 28, 2006	Group: TBA	
	Mei et al, "Genome-wide detection of allelic im arrays", Genome Res., 2000, 10: 1126-1137.	balance using human SN	Ps and high density DNA	
	Moore et al., "Examination of trisomy 13, 18 ar using FISH", Eur. J. Hum. Genet., 2000, 8: 223		erent gestational ages	
	Ordahl <i>et al.</i> , "Sheared DNA fragment sizing: c 1976, 3 : 2985-2999.	omparison of techniques'	', Nucleic Acids Res.,	
II.	Parano et al., "Noninvasive prenatal diagnosis of analysis of fetal cells from maternal blood", Am	-		
	Pergament <i>et al.</i> , "The clinical application of in <i>Diagn.</i> , 2000, 20 : 215-230.	terphase FISH in prenatal	diagnosis", Prenatal.	
I	Pertl and Bianchi, "Fetal DNA in maternal plasma: emerging clinical applications", Obstet. Gynecol., 2001, 98: 483-490.			
(Peschka <i>et al.</i> , "Analysis of a de novo complex chromosome rearrangement involving chromosomes 4, 11, 12 and 13 and eight breakpoints by conventional cytogenetic, fluorescence in situ hybridization and spectral karyotyping", <i>Prenatal. Diagn.</i> , 1999, 19 : 1143-1149.			
I	Pinkel et al., "High resolution analysis of DNA copy number variation using comparative genomic hybridization to microarrays", Nature Genet., 1998, 20: 207-211.			
	Pollack et al., "Genome-wide analysis of DNA copy-number changes using cDNA microarrays", Nature Genet., 1999, 23: 41-46.			
	Poon et al., "Prenatal detection of fetal Down's syndrome from maternal plasma", Lancet, 2000, 356: 1819-1820.			
	Rosenfeld, "Human artificial chromosomes get real", Nature Genet., 1997, 15: 333-335.			
]	Roush, "Counterfeit chromosomes for humans", Science, 1997, 276: 38-39			
	Saccone et al., "The highest gene concentrations in the human genome are in telomeric bands of metaphase chromosomes", <i>Proc. Natl. Acad. Sci. USA</i> , 1992, 89 : 4913-4917.			
	Saito et al., "Prenatal DNA diagnosis of a single-gene disorder from maternal plasma", Lancet, 2000, 356 : 1170.			
	Schena et al., "Parallel human genome analysis genes", Proc. Natl. Acad. Sci. USA, 1996, 93: 1	0614-10619.		
	Schrock et al., "Spectral karyotyping refines cy chromosomal abnormalities", Hum. Genet., 199		onstitutional	
	Simpson and Elias, "Isolating fetal cells from mathrough molecular technology", J. Am. Med. As			
	Solinas-Toldo et al., "Matrix-based comparative genomic imbalances", Genes, Chromosomes &			
	Thein et al., "An assessment of the use of interp	phase FISH with chromos	ome specific probes as ar	

Form PTO-144	9 U.S. Department of Commerce	Attorney Docket	In re Application No.	
(REV. 8-83)	Patent and Trademark Office	2004117-0024	10/577,341	
(RE V. 0-03)	Fatent and Tradentark Office		10/377,341	
INFODM	LATION DICCLOSUDE CTATEMENT	Applicant:		
INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		Bianchi, et al.		
		Filing Date:	Group:	
		April 28, 2006	TBA	
	alternative to cytogenetics in prenatal diagnosis'	['] , Prenat. Diagn., 2000, 2 0	D: 275-280.	
	Van den Veyver and B.B. Roa, "Applied molecu Curr. Opin. Obstet. Gynecol., 1998, 10: 97-103.		prenatal diagnosis",	
	Wakui et al., "Clinical applications of two-color telomeric fluorescence in situ hybridization for prenatal diagnosis: identification of chromosomal translocation in five families with recurrent miscarriages or a child with multiple congenital anomalies", J. Hum. Genet., 1999, 44: 85-90. Weremowicz et al., "Fluorescence in situ hybridization (FISH) for rapid detection of aneuploidy experience in 911 prenatal cases", Prenat. Diagn., 2001, 21: 262-269.			
	Zhong et al., "Detection of fetal Rhesus D and s multiplex polymerase chain reaction", Brit. J. O	_		
	Zhong et al., "Fetal DNA in maternal plasma is Prenatal Diagn., 2000, 20: 795-798.	elevated in pregnancies w	ith aneuploid fetuses",	
	Zhong et al., "Circulatory fetal and maternal DNA in pregnancies at risk and those affected by preeclampsia", Ann. N.Y. Acad. Sci., 2001, 945: 138-140. Zheng et al., "Prenatal diagnosis from maternal blood: simultaneous immunophenotyping and FISH of fetal nucleated erythrocytes isolated by negative magnetic cell sorting", J. Med. Genet., 1993, 30: 1051-1056.			
EXAMINER	/Carla Myers/	DATE CONSIDE	RED 03/18/2009	

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.